



AN UNBREAKABLE SPIRIT



CATALOG
TREE SAW



EN

SCAN ME

17/11/21
REV 02/21



2

TREE SAW



The powerful Tortella & Marshall tree saw enables the operator to cut, push, pile and stack trees quickly, safely and efficiently. It makes short work of any size tree.



CAN CUT ALL TREE SIZES: 12" - 24" - 36" OR GREATER AND SMALLER TOO



CAN REACH AND CUT TREE BRANCHES UP TO 17' HIGH



CAN CUT GROUND LEVEL OR BELOW



CAN CUT IN ROCKS



CHARACTERISTICS

- Does not need sharpening
- Cuts at or below ground level
- Cuts in rock, gravel and dirt.
- With the tree saw non-spinning blade, you will not have flying debris as compared to spinning blade saws.
- It is safe to work around for man and animals.
- Simple field maintenance - grease only twice a day.
- Built to withstand the toughest of work in the woods.
- Available built in sprayer tank system.



TECHNICAL FEATURES

TREE SAW

3

NEW BLADE DESIGN

The tooth profiles have been optimized in order to allow the blade to be more efficient and effective at removing material during cutting, thus reducing the force requirements and extending the life of the system.



BROAD TECHNICAL DATA

Model	Blade Size	Auxiliary	Chain	Cylinder & Stroke	Weight		Flow rate		Pressure	
					Kg	lib	l/min	gpm	bar	psi
1200	12 inch / 30,48 cm	16 gpm/min 2500 psi/min 4000/optimum	Heavy	Customisation for 50,8 cm stroke	717	1580,71	60 - 133	16 - 35	138 - 310	2000- 4500
1600	16 inch / 40,64 cm	16 gpm/min 2500 psi/min 4000/optimum	Heavy	Customisation for 60,96 cm stroke	884	1948,89				

*Note: Additional skid operating capacity of 500 lbs over and above saw weight is required for lifting and pushing of cut trees.



SPADERS



ROTARY
CULTIVATORS



ROTATING
HARROWS



SHREDDERS



TREE SAW



HYDRO - PNEUMATIC
SUBSOILER

AN UNBREAKABLE SPIRIT



WWW.TORTELLA.IT

AN UNBREAKABLE SPIRIT

Registered office: Via Teramo n.20 Manoppello (PE) Italy
Operating plant: Via Civiltà del Lavoro, 77, 66026 Ortona
(CH) | info@tortella.it
Ph. +39 085 8563511 - Fax +39 085 8561491

©COPYRIGHT
17/11/21
REV 02/21

EN MARASCA GROUP